

View Online at <https://aerobasegroup.com/nsn/5340-01-086-7912>

**First Leg Length:**

0.937 inches

**Second Leg Length:**

0.938 inches

**Second Leg Width:**

0.750 inches

**First Leg Slot Length:**

0.500 inches

**First Leg Slot Width:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.375 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.438 inches

**Second Leg Slot Length:**

0.500 inches

**Second Leg Slot Width:**

0.250 inches

**First Leg Thickness:**

0.050 inches

**Second Leg Thickness:**

0.050 inches

**Center Section Height:**

0.500 inches

**Center Section Width:**

0.750 inches

**Center Section Thickness:**

0.050 inches

**First Leg Width:**

0.750 inches

**First Leg Corner Radius:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.375 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.312 inches

**Second Leg End Radius:**

0.500 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

One slot

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5, t0 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.