

View Online at <https://aerobasegroup.com/nsn/5340-01-091-2051>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

Between 0.752 inches and 0.784 inches

**Second Leg Length:**

Between 1.270 inches and 1.290 inches

**Second Leg Width:**

Between 0.950 inches and 0.970 inches

**Second Leg Corner Radius:**

Between 0.094 inches and 0.125 inches

**First Leg Hole Diameter:**

Between 0.216 inches and 0.226 inches

**Second Leg Hole Diameter:**

Between 0.216 inches and 0.226 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.480 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.264 inches and 0.284 inches

**First Leg Thickness:**

Between 0.098 inches and 0.112 inches

**Second Leg Thickness:**

Between 0.098 inches and 0.112 inches

**First Leg Width:**

1.156 inches

**First Leg Distance Between Hole Centers Along Width:**

0.624 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.110 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.110 inches

**First Leg End Radius:**

Between 0.234 inches and 0.266 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Titanium alloy

**Material Specification:**

Ams 4911 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A042a0