

View Online at <https://aerobasegroup.com/nsn/5340-01-092-0279>

First Leg Length:

2.880 inches

Second Leg Length:

3.250 inches

Second Leg Width:

3.000 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

Between 0.280 inches and 0.287 inches

Second Leg Hole Diameter:

Between 0.217 inches and 0.224 inches

Second Leg Distance Between Hole Centers Along Width:

1.000 inches

Second Leg Distance Between Hole Centers Along Length:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.000 inches

First Leg Thickness:

0.187 inches

Second Leg Thickness:

0.187 inches

First Leg Width:

3.000 inches

First Leg Distance Between Upper Hole Centers Along Width:

2.500 inches

First Leg Distance Between Hole Centers Along Length:

1.125 inches

First Leg Distance Between First And Second Hole Centers Along Width:

1.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

105.0 degrees

Special Features:

Second leg has center hole 0.810 in. Diameter surrounded by four smaller holes

Material:

Steel comp 1008 or steel comp 1009 or steel comp 1015 or steel comp 1018 or steel comp 1020

Surface Treatment:

Phosphate

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0