

View Online at <https://aerobasegroup.com/nsn/5340-01-092-9998>

First Leg Length:

0.780 inches

Second Leg Length:

1.060 inches

Second Leg Width:

2.000 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

Between 0.280 inches and 0.287 inches

Second Leg Hole Diameter:

Between 0.155 inches and 0.161 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.593 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

0.594 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.407 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.075 inches

Second Leg Thickness:

0.075 inches

First Leg Width:

2.000 inches

First Leg Distance Between Hole Centers Along Width:

1.375 inches

First Leg Distance From Edge To Hole Center Along Width:

0.310 inches

First Leg Distance From Edge To Hole Center Along Length:

0.310 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Second leg center hole diameter 0.781 in. Min, 0.791 in. Max

Material:

Steel comp 1008 or steel comp 1009 or steel comp 1015 or steel comp 1018 or steel comp 1020

Surface Treatment:

Phosphate

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0