

View Online at <https://aerobasegroup.com/nsn/5340-01-093-5215>

First Leg Length:

Between 0.590 inches and 0.650 inches

Second Leg Length:

Between 1.295 inches and 1.315 inches

Second Leg Width:

Between 0.470 inches and 0.530 inches

First Leg Hole Diameter:

0.204 inches

Second Leg Hole Diameter:

0.401 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.365 inches and 0.385 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.365 inches and 0.385 inches

First Leg Thickness:

Between 0.070 inches and 0.090 inches

Second Leg Thickness:

Between 0.070 inches and 0.090 inches

First Leg Width:

Between 0.470 inches and 0.530 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.160 inches and 0.220 inches

First Leg End Radius:

Between 0.160 inches and 0.220 inches

Second Leg End Radius:

Between 0.365 inches and 0.385 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 4130

Material Specification:

Mil-s-18729, cond n military specification single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-18729 spec.