

View Online at <https://aerobasegroup.com/nsn/5340-01-093-9519>

**Cross Sectional Shape:**

Square or rectangular recess

**Hole Diameter:**

Between 0.114 inches and 0.120 inches

**Width:**

Between 2.760 inches and 2.780 inches

**Flange Thickness:**

Between 0.037 inches and 0.043 inches

**Edge Shape:**

Rectangle, multi holes

**Length:**

Between 5.740 inches and 5.760 inches

**Inside Width:**

Between 2.690 inches and 2.710 inches

**Inside Length:**

5.680 inches

**Corner Radius:**

0.120 inches

**Hole Quantity Along Length:**

2

**Hole Quantity Along Width:**

2

**Distance Between Holes Along Length:**

0.450 inches

**Distance Between Holes Along Width:**

2.420 inches

**Distance From First Hole Centerline To End Along Length:**

Between 0.170 inches and 0.190 inches

**Distance From First Hole Centerline To End Along Width:**

Between 0.170 inches and 0.190 inches

**First Recess Inside Height:**

Between 0.262 inches and 0.268 inches

**Inside Corner Radius:**

0.060 inches

**Body Thickness:**

Between 0.262 inches and 0.268 inches

**Securing Device Type:**

Threaded fastener

**Mounting Opening Shape Style:**

Unthreaded hole

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-250/11, o federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2, cl 2 military specification single treatment response

**Fsc Application Data:**

Data transfer module

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A531c0

**Mil-std (military Standard):**

Mil-a-8625 spec.