

View Online at <https://aerobasegroup.com/nsn/5340-01-095-3228>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

0.210 inches

**Second Leg Length:**

0.240 inches

**Second Leg Width:**

0.250 inches

**Second Leg Hole Diameter:**

0.129 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.125 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.120 inches

**First Leg Thickness:**

0.020 inches

**Second Leg Thickness:**

0.020 inches

**Center Section Height:**

0.450 inches

**Center Section Width:**

Between 0.125 inches and 0.130 inches

**Center Section Thickness:**

0.020 inches

**First Leg Width:**

0.120 inches

**First Leg End Radius:**

Between 0.060 inches and 0.090 inches

**Second Leg End Radius:**

Between 0.120 inches and 0.150 inches

**First Leg Style:**

End radius and tapered

**First Leg Hole Arrangement Style:**

No hole

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Material:**

Steel comp 301

**Material Specification:**

Mil-s-5059, t 301 military specification single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Mil-s-5002 military specification single treatment response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-s-5059 spec.