## NSN 5340-01-096-9106

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-096-9106

First Leg Length:

Between 0.720 inches and 0.780 inches

Second Leg Length:

Between 0.720 inches and 0.780 inches

Second Leg Width:

Between 1.510 inches and 1.570 inches

First Leg Hole Diameter:

0.191 inches

Second Leg Hole Diameter:

0.098 inches

Second Leg Distance Between Hole Centers Along Width:

0.880 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.330 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.330 inches

First Leg Thickness:

Between 0.053 inches and 0.073 inches

Second Leg Thickness:

Between 0.053 inches and 0.073 inches

First Leg Width:

Between 1.510 inches and 1.570 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.740 inches and 0.800 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.300 inches and 0.360 inches

First Leg Style:

Square and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

Two holes

Material:

Aluminum alloy 2024

**Material Specification:** 

Qq-a-250/5, alclad t3 federal specification single material response

**Surface Treatment:** 

Anodize

**Surface Treatment Specification:** 

Mil-a-8625, type 1 military specification single treatment response

## NSN 5340-01-096-9106

Angle Bracket - Page 2 of 2



Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):

Mil-a-8625 spec.