NSN 5340-01-098-2198

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-098-2198

Fabrication Method (non-core):

Any acceptable

First Leg Length:

Between 2.970 inches and 3.030 inches

Second Leg Length:

Between 8.935 inches and 8.941 inches

Second Leg Width:

Between 1.470 inches and 1.530 inches

First Leg Hole Diameter:

Between 0.420 inches and 0.440 inches

Second Leg Hole Diameter:

Between 0.830 inches and 0.910 inches

Second Leg Distance Between Hole Centers Along Length:

Between 1.720 inches and 1.780 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.720 inches and 0.780 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.720 inches and 0.780 inches

First Leg Thickness:

0.375 inches

Second Leg Thickness:

0.375 inches

First Leg Width:

Between 1.470 inches and 1.530 inches

First Leg Distance Between Hole Centers Along Length:

Between 1.095 inches and 1.155 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.720 inches and 0.780 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.407 inches and 0.467 inches

Second Leg End Radius:

Between 0.720 inches and 0.780 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

NSN 5340-01-098-2198

Angle Bracket - Page 2 of 2



| First Leg Angle: |
|-------------------|
| 90.0 degrees |
| Material: |
| Steel |
| Style Designator: |
| Angle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

Fiig:

A042a0