

View Online at <https://aerobasegroup.com/nsn/5340-01-099-4158>

**First Leg Length:**

0.425 inches

**Second Leg Length:**

0.556 inches

**Second Leg Width:**

0.450 inches

**First Leg Hole Diameter:**

0.128 inches

**Second Leg Hole Diameter:**

Between 0.217 inches and 0.219 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.225 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.225 inches

**First Leg Thickness:**

Between 0.046 inches and 0.054 inches

**Second Leg Thickness:**

Between 0.046 inches and 0.054 inches

**First Leg Width:**

1.250 inches

**First Leg Distance Between Hole Centers Along Width:**

0.874 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.188 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.155 inches

**Second Leg End Radius:**

0.225 inches

**First Leg Style:**

Extended flat

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8, h32 federal specification single material response

**Surface Treatment:**

Oxide film

**Surface Treatment Specification:**

Mil-c-5541, type 2, grade 3, class 3 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.