## NSN 5340-01-100-3275

Access Cover - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-100-3275

View Online at https://aerobasegroup.com/nsn/5340-01-100-3275
Cross Sectional Shape:
Flat
Hole Diameter:
Between 0.124 inches and 0.130 inches
Width:
0.875 inches
Edge Shape:
Rectangle, four holes
Length:
1.250 inches
Corner Radius:
0.125 inches
Distance Between Holes Along Length:
1.000 inches
Distance Between Holes Along Width:
0.625 inches
Distance From First Hole Centerline To End Along Length:
0.125 inches
Distance From First Hole Centerline To End Along Width:
0.125 inches
Body Thickness:
0.062 inches
Securing Device Type:
Special
Mounting Opening Shape Style:
Unthreaded hole
Special Features:
Finish: bake primer and top coat white no. 27875 of fed-std-595; holes and marked surfaces not to be coated; used on elbow telescope
m118a2; additional alternate material: steel comp 305
Material:
Steel comp 302 or steel comp 304
Material Specification:
Qq-s-766, cond a federal specification single material response
Surface Treatment:
Passivate and oxide and primer and enamel baked
Surface Treatment Specification:
Qq-p-35 federal specification 1st treatment response and mil-c-13924, class 4 military specification 2nd treatment response and tt-p-636
federal specification 3rd treatment response and tt-e-529 federal specification 4th treatment response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 5340-01-100-3275

Access Cover - Page 2 of 2



Fiig:

A531c0

Mil-std (military Standard):

Mil-c-13924 spec.