
NSN 5340-01-101-9867

Angle Bracket - Page 1 of 2



Fabrication Method (non-core):

Any acceptable

## Mounting Hole Type:

Plain

## First Leg Length:

1.000 inches

## Second Leg Length:

1.250 inches

#### Second Leg Width:

2.250 inches

## Second Leg Corner Radius:

Between 0.115 inches and 0.135 inches

## Second Leg End Width:

1.490 inches

#### First Leg Hole Diameter:

## 0.098 inches

#### Second Leg Hole Diameter:

0.469 inches

## Second Leg Distance Between Hole Centers Along Width:

1.130 inches

## Second Leg Distance From Edge To Hole Center Along Width:

0.560 inches

## Second Leg Distance From Edge To Hole Center Along Length:

0.630 inches

## First Leg Thickness:

Between 0.053 inches and 0.073 inches

## Second Leg Thickness:

Between 0.053 inches and 0.073 inches

## First Leg Width:

2.250 inches

# First Leg Distance Between First And Second Hole Centers Along Width:

0.750 inches

# First Leg Distance Between Second And Third Hole Centers Along Width:

0.750 inches

# First Leg Distance From Edge To Hole Center Along Width:

0.380 inches

# First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

# First Leg Style:

Square

# First Leg Hole Arrangement Style:

Three holes



# NSN 5340-01-101-9867

Angle Bracket - Page 2 of 2



## Second Leg Style:

Square and tapered

#### Second Leg Hole Arrangement Style:

Two holes

## Second Leg Relationship To First Leg:

Not identical

## First Leg Angle:

90.0 degrees

## Material:

Aluminum alloy 7075

## **Material Specification:**

Qq-a-200/11 federal specification single material response

#### Style Designator:

Angle

#### Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

# Fiig:

A042a0