## NSN 5340-01-108-9073



Double Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-108-9073 First Leg Length: 4.030 inches Second Leg Length: 4.030 inches **End Application:** 2350-01-091-5405 carrier mlrs Second Leg Width: 10.000 inches First Leg Slot Length: Between 0.310 inches and 0.336 inches First Leg Slot Width: Between 0.470 inches and 0.530 inches Second Leg Distance Between First And Second Hole Centers Along Width: 4.500 inches Second Leg Distance Between Second And Third Hole Centers Along Width: 4.500 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.380 inches Second Leg Slot Length: Between 0.430 inches and 0.460 inches Second Leg Slot Width: Between 0.560 inches and 0.680 inches First Leg Thickness: 0.190 inches Second Leg Thickness: 0.190 inches **Center Section Height:** 11.250 inches **Center Section Width:** 10.120 inches **Center Section Thickness:** 0.190 inches First Leg Width:

6.220 inches

First Leg Distance Between Hole Centers Along Width:

4.000 inches

First Leg Distance From Edge To Hole Center Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Length:

0.392 inches

## NSN 5340-01-108-9073

Double Angle Bracket - Page 2 of 2



First Leg Style:
Extended flat
First Leg Hole Arrangement Style:
2 slots
Second Leg Style:
Extended flat
Second Leg Hole Arrangement Style:
3 slots
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Material:
Aluminum alloy 5083
Material Specification:
Qq-a-250/6 federal specification single material response
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A042a0