

View Online at <https://aerobasegroup.com/nsn/5340-01-110-5892>

**Fabrication Method (non-core):**

Machined

**First Leg Length:**

0.500 inches

**Second Leg Length:**

0.500 inches

**Second Leg End Width:**

Between 0.110 inches and 0.150 inches

**First Leg Hole Diameter:**

Between 0.133 inches and 0.142 inches

**Second Leg Hole Diameter:**

Between 0.187 inches and 0.189 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.190 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.810 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**First Leg Width:**

0.437 inches

**First Leg Distance Between Hole Centers Along Length:**

1.250 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.190 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.185 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

1 attaching nut self lkg pressed into second leg hole; surface treatment: chemical film

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-200/8, t6510 federal specification single material response

**Surface Treatment Specification:**

Mil-c-5541, class 1a military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.