

View Online at <https://aerobasegroup.com/nsn/5340-01-110-5892>

Fabrication Method (non-core):

Machined

First Leg Length:

0.500 inches

Second Leg Length:

0.500 inches

Second Leg End Width:

Between 0.110 inches and 0.150 inches

First Leg Hole Diameter:

Between 0.133 inches and 0.142 inches

Second Leg Hole Diameter:

Between 0.187 inches and 0.189 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.190 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.810 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

First Leg Width:

0.437 inches

First Leg Distance Between Hole Centers Along Length:

1.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.190 inches

First Leg Distance From Edge To Hole Center Along Length:

0.185 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

1 attaching nut self lkg pressed into second leg hole; surface treatment: chemical film

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-200/8, t6510 federal specification single material response

Surface Treatment Specification:

Mil-c-5541, class 1a military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.