

View Online at <https://aerobasegroup.com/nsn/5340-01-112-9108>

First Leg Length:

0.750 inches

Second Leg Length:

3.500 inches

End Application:

An/alq-119

Second Leg Width:

5.250 inches

First Leg Hole Diameter:

Between 0.154 inches and 0.159 inches

Second Leg Hole Diameter:

Between 0.154 inches and 0.159 inches

Second Leg Distance Between Hole Centers Along Width:

3.870 inches

Second Leg Distance Between Hole Centers Along Length:

1.800 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.690 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.850 inches

First Leg Thickness:

0.090 inches

Second Leg Thickness:

0.090 inches

First Leg Width:

5.250 inches

First Leg Distance Between Hole Centers Along Width:

4.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.310 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Second leg has cut-out 2.500 in. Placed 0.500 from edge along lgth; 3.500 in. W, placed 0.870 in. From edge along width

Material:

Aluminum alloy

Material Specification:

Qq-a-250/8, h32 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, class ia military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.