

View Online at <https://aerobasegroup.com/nsn/5340-01-113-8286>

Fabrication Method (non-core):

Cast

Mounting Hole Type:

Countersunk

First Leg Length:

2.112 inches

Second Leg Length:

2.1875 inches

Second Leg Width:

1.031 inches

First Leg Hole Diameter:

0.204 inches

Second Leg Hole Diameter:

0.375 inches

Second Leg Distance Between Hole Centers Along Width:

1.093 inches

Second Leg Distance Between Hole Centers Along Length:

1.656 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.560 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.720 inches

First Leg Thickness:

0.750 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

1.625 inches

First Leg Corner Radius:

0.125 inches

First Leg Distance Between Hole Centers Along Width:

1.093 inches

First Leg Distance Between Hole Centers Along Length:

1.656 inches

First Leg Distance From Edge To Hole Center Along Width:

0.312 inches

First Leg Distance From Edge To Hole Center Along Length:

0.206 inches

Second Leg End Radius:

0.500 inches

Second Leg Side Radius:

0.750 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius and tapered

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

115.0 degrees

Material:

Aluminum alloy 355.0 and steel comp 1025

Surface Treatment:

Enamel

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0