

View Online at <https://aerobasegroup.com/nsn/5340-01-116-5507>

Mounting Hole Type:

Plain

First Leg Length:

Between 0.542 inches and 0.590 inches

Second Leg Length:

Between 2.970 inches and 3.030 inches

Second Leg Width:

Between 2.865 inches and 2.885 inches

First Leg Hole Diameter:

Between 0.184 inches and 0.198 inches

Second Leg Hole Diameter:

Between 0.184 inches and 0.198 inches

Second Leg Distance Between Hole Centers Along Width:

2.562 inches

Second Leg Distance Between Hole Centers Along Length:

2.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.156 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.750 inches

First Leg Thickness:

Between 0.057 inches and 0.067 inches

Second Leg Thickness:

Between 0.057 inches and 0.067 inches

First Leg Width:

Between 0.485 inches and 0.515 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 3003 or aluminum alloy 5052

Material Specification:

Ams 4008 assn standard 1st material response or ams 4016 assn standard 2nd material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Pn14.06-01 type 2 cl 1 fscm 99167 mfr ref single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0