

View Online at <https://aerobasegroup.com/nsn/5340-01-116-5507>

**Mounting Hole Type:**

Plain

**First Leg Length:**

Between 0.542 inches and 0.590 inches

**Second Leg Length:**

Between 2.970 inches and 3.030 inches

**Second Leg Width:**

Between 2.865 inches and 2.885 inches

**First Leg Hole Diameter:**

Between 0.184 inches and 0.198 inches

**Second Leg Hole Diameter:**

Between 0.184 inches and 0.198 inches

**Second Leg Distance Between Hole Centers Along Width:**

2.562 inches

**Second Leg Distance Between Hole Centers Along Length:**

2.750 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.156 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.750 inches

**First Leg Thickness:**

Between 0.057 inches and 0.067 inches

**Second Leg Thickness:**

Between 0.057 inches and 0.067 inches

**First Leg Width:**

Between 0.485 inches and 0.515 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 3003 or aluminum alloy 5052

**Material Specification:**

Ams 4008 assn standard 1st material response or ams 4016 assn standard 2nd material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Pn14.06-01 type 2 cl 1 fscm 99167 mfr ref single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0