

View Online at <https://aerobasegroup.com/nsn/5340-01-118-7613>

First Leg Length:

0.190 inches

Second Leg Length:

0.460 inches

Second Leg Width:

0.400 inches

First Leg Hole Diameter:

Between 0.063 inches and 0.067 inches

Second Leg Hole Diameter:

Between 0.067 inches and 0.071 inches

Second Leg Distance Between Hole Centers Along Length:

0.187 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.200 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.143 inches

First Leg Thickness:

0.040 inches

Second Leg Thickness:

0.040 inches

First Leg Width:

0.400 inches

First Leg Distance Between Hole Centers Along Width:

0.200 inches

First Leg Distance From Edge To Hole Center Along Width:

0.010 inches

First Leg Distance From Edge To Hole Center Along Length:

0.080 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Copper alloy 260

Material Specification:

Qq-b-613, alloy 260, half hard federal specification single material response

Surface Treatment:

Tin

Surface Treatment Specification:

Mil-t-10727, type 1 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-t-10727 spec.