NSN 5340-01-119-6849



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-119-6849 First Leg Length: 1.000 inches Second Leg Length: 1.500 inches Reinforcement Method (non-core): Gusset both sides Second Leg Width: 2.680 inches First Leg Hole Diameter: Between 0.250 inches and 0.256 inches Second Leg Hole Diameter: Between 0.250 inches and 0.256 inches Second Leg Distance Between Hole Centers Along Width: 1.250 inches Second Leg Distance From Edge To Hole Center Along Width: 0.740 inches Second Leg Distance From Edge To Hole Center Along Length: 0.560 inches First Leg Thickness: 0.320 inches Second Leg Thickness: 0.100 inches First Leg Width: 2.680 inches First Leg Distance From Edge To Hole Center Along Width: 0.680 inches First Leg Distance From Edge To Hole Center Along Length: 0.430 inches First Leg Style: Square First Leg Hole Arrangement Style: One hole Second Leg Style: Square Second Leg Hole Arrangement Style: Two holes Second Leg Relationship To First Leg: Not identical First Leg Angle:

Material:

Titanium alloy

90.0 degrees

NSN 5340-01-119-6849

Angle Bracket - Page 2 of 2



| Material Specification: |
|--|
| Mil-t-9046 type 3 comp c military specification single material response |
| Style Designator: |
| Angle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |

Mil-std (military Standard):

Mil-t-9046 spec.

Fiig: A042a0