

View Online at <https://aerobasegroup.com/nsn/5340-01-120-4902>

**Countersink Angle In Deg:**

45.0

**Chamfer Angle In Deg:**

45.0

**Overall Height:**

0.2500 inches

**First Step Diameter:**

Between 0.5370 inches and 0.5470 inches

**Bore Diameter:**

Between 0.2250 inches and 0.2300 inches

**Design Type:**

Solid

**Countersink Diameter:**

Between 0.2550 inches and 0.2600 inches

**End Diameter:**

Between 0.3030 inches and 0.3080 inches

**Distance From End To First Step:**

0.2120 inches

**Special Features:**

Not casehardened

**Material:**

Steel, qq-s-763, class 304, cond a

**Material:**

Steel comp 304

**Material Specification:**

Qq-s-763, class 304, cond a federal specification single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Ps13001, mcdonnell douglas corporation mfr ref single treatment response

**Style Designator:**

Seat

**Surface Treatment:**

Passivated, ps13001, mcdonnell douglas corp

**Fsc Application Data:**

Cylinder assembly, actuating linear, aircraft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T319-e