

View Online at <https://aerobasegroup.com/nsn/5340-01-121-4614>

Chamfer Angle In Deg:

30.0

Overall Height:

Between 0.9740 inches and 1.0540 inches

First Step Diameter:

Between 0.5970 inches and 0.6070 inches

First Step Length:

0.0930 inches

Second Step Diameter:

0.9800 inches

Second Step Length:

0.0930 inches

Bore Diameter:

Between 0.1540 inches and 0.1620 inches

Second End Diameter:

Between 0.3030 inches and 0.3080 inches

Design Type:

Solid

End Diameter:

Between 0.3200 inches and 0.3300 inches

Distance From End To First Step:

0.1880 inches

Special Features:

Not casehardened

Material:

Steel, qq-s-763, class 304, cond a

Material:

Steel comp 304

Material Specification:

Qq-s-763, class 304, cond a federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Ps13001, mcdonnell douglas corporation mfr ref single treatment response

Style Designator:

Seat

Surface Treatment:

Passivated, ps13001, mcdonnell douglas corp

Fsc Application Data:

Cylinder assembly, actuating linear

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T319-e