## NSN 5340-01-125-0523

Helical Compression Spring Seat - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-125-0523 **Chamfer Angle In Deg:** 45.0 **Overall Height:** 0.5660 inches First Step Diameter: Between 0.6160 inches and 0.6200 inches First Step Length: Between 0.0360 inches and 0.0380 inches **Bore Diameter:** Between 0.1920 inches and 0.2020 inches **Second End Diameter:** Between 0.5450 inches and 0.5490 inches **Design Type:** Solid **End Diameter:** Between 0.2170 inches and 0.2220 inches **Distance From End To First Step:** 0.4400 inches **Special Features:** Not casehardened Material: Steel, qq-s-763, class 304, cond a Material: Steel comp 304 **Material Specification:** Qq-s-763, class 304, cond a federal specification single material response **Surface Treatment: Passivate Surface Treatment Specification:** Ps13001, mcdonnell douglas corporation mfr ref single treatment response **Style Designator:** Seat **Surface Treatment:** Passivated, ps13001, mcdonnell douglas corp **Fsc Application Data:** Cylinder assembly, actuating linear, aircraft Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

## NSN 5340-01-125-0523

Helical Compression Spring Seat - Page 2 of 2



Fiig:

Т319-е