

View Online at <https://aerobasegroup.com/nsn/5340-01-125-1836>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.660 inches

**Second Leg Length:**

1.400 inches

**Second Leg Width:**

0.940 inches

**First Leg Slot Length:**

0.300 inches

**First Leg Slot Width:**

0.250 inches

**Second Leg Hole Diameter:**

Between 0.128 inches and 0.134 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.406 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.875 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.125 inches

**First Leg Thickness:**

0.062 inches

**Second Leg Thickness:**

0.062 inches

**Center Section Height:**

1.190 inches

**Center Section Width:**

0.940 inches

**Center Section Thickness:**

0.062 inches

**First Leg Width:**

0.940 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Special Features:**

One additional slot in first leg, 0.300 in. Lg, 0.156 in. W

**Material:**

Steel comp 302

**Material Specification:**

Qq-s-766, 1/4 hard federal specification single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Mil-f-14072 military specification single treatment response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-f-14072 spec.