

View Online at <https://aerobasegroup.com/nsn/5340-01-125-1836>

Mounting Hole Type:

Plain

First Leg Length:

0.660 inches

Second Leg Length:

1.400 inches

Second Leg Width:

0.940 inches

First Leg Slot Length:

0.300 inches

First Leg Slot Width:

0.250 inches

Second Leg Hole Diameter:

Between 0.128 inches and 0.134 inches

Second Leg Distance Between Hole Centers Along Width:

0.406 inches

Second Leg Distance Between Hole Centers Along Length:

0.875 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.125 inches

First Leg Thickness:

0.062 inches

Second Leg Thickness:

0.062 inches

Center Section Height:

1.190 inches

Center Section Width:

0.940 inches

Center Section Thickness:

0.062 inches

First Leg Width:

0.940 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Special Features:

One additional slot in first leg, 0.300 in. Lg, 0.156 in. W

Material:

Steel comp 302

Material Specification:

Qq-s-766, 1/4 hard federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-f-14072 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-f-14072 spec.