## NSN 5340-01-126-3585

Access Cover - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-126-3585

Flat Width:  14.000 inches Edge Shape: Rectangle, four holes Length:  10.000 inches Distance Between Holes Along Length:  9.468 inches Distance Between Holes Along Width:  12.000 inches Distance From First Hole Centerline To End Along Length:  0.266 inches Distance From First Hole Centerline To End Along Width:  0.955 inches Body Thickness:  0.063 inches Securing Device Type: Threaded fastener End Application:  2350-01-103-5641 improved tow vehicle Material: Aluminum alloy 2024 Shelf Life: N/a
14.000 inches  Edge Shape: Rectangle, four holes  Length: 10.000 inches  Distance Between Holes Along Length: 9.468 inches  Distance Between Holes Along Width: 12.000 inches  Distance From First Hole Centerline To End Along Length: 0.266 inches  Distance From First Hole Centerline To End Along Width: 0.955 inches  Body Thickness: 0.063 inches  Securing Device Type: Threaded fastener End Application: 2350-01-103-5641 improved tow vehicle  Material: Aluminum alloy 2024  Shelf Life:
Edge Shape: Rectangle, four holes Length: 10.000 inches Distance Between Holes Along Length: 9.468 inches Distance Between Holes Along Width: 12.000 inches Distance From First Hole Centerline To End Along Length: 0.266 inches Distance From First Hole Centerline To End Along Width: 0.955 inches Body Thickness: 0.063 inches Securing Device Type: Threaded fastener End Application: 2350-01-103-5641 improved tow vehicle Material: Aluminum alloy 2024 Shelf Life:
Rectangle, four holes  Length:  10.000 inches  Distance Between Holes Along Length:  9.468 inches  Distance Between Holes Along Width:  12.000 inches  Distance From First Hole Centerline To End Along Length:  0.266 inches  Distance From First Hole Centerline To End Along Width:  0.955 inches  Body Thickness:  0.063 inches  Securing Device Type:  Threaded fastener  End Application:  2350-01-103-5641 improved tow vehicle  Material:  Aluminum alloy 2024  Shelf Life:
Length: 10.000 inches Distance Between Holes Along Length: 9.468 inches Distance Between Holes Along Width: 12.000 inches Distance From First Hole Centerline To End Along Length: 0.266 inches Distance From First Hole Centerline To End Along Width: 0.955 inches Body Thickness: 0.063 inches Securing Device Type: Threaded fastener End Application: 2350-01-103-5641 improved tow vehicle Material: Aluminum alloy 2024 Shelf Life:
Distance Between Holes Along Length:  9.468 inches  Distance Between Holes Along Width:  12.000 inches  Distance From First Hole Centerline To End Along Length:  0.266 inches  Distance From First Hole Centerline To End Along Width:  0.955 inches  Body Thickness:  0.063 inches  Securing Device Type:  Threaded fastener  End Application:  2350-01-103-5641 improved tow vehicle  Material:  Aluminum alloy 2024  Shelf Life:
Distance Between Holes Along Length:  9.468 inches  Distance Between Holes Along Width:  12.000 inches  Distance From First Hole Centerline To End Along Length:  0.266 inches  Distance From First Hole Centerline To End Along Width:  0.955 inches  Body Thickness:  0.063 inches  Securing Device Type:  Threaded fastener  End Application:  2350-01-103-5641 improved tow vehicle  Material:  Aluminum alloy 2024  Shelf Life:
9.468 inches  Distance Between Holes Along Width:  12.000 inches  Distance From First Hole Centerline To End Along Length:  0.266 inches  Distance From First Hole Centerline To End Along Width:  0.955 inches  Body Thickness:  0.063 inches  Securing Device Type:  Threaded fastener  End Application:  2350-01-103-5641 improved tow vehicle  Material:  Aluminum alloy 2024  Shelf Life:
Distance Between Holes Along Width:  12.000 inches  Distance From First Hole Centerline To End Along Length:  0.266 inches  Distance From First Hole Centerline To End Along Width:  0.955 inches  Body Thickness:  0.063 inches  Securing Device Type:  Threaded fastener  End Application:  2350-01-103-5641 improved tow vehicle  Material:  Aluminum alloy 2024  Shelf Life:
12.000 inches  Distance From First Hole Centerline To End Along Length: 0.266 inches  Distance From First Hole Centerline To End Along Width: 0.955 inches  Body Thickness: 0.063 inches  Securing Device Type: Threaded fastener End Application: 2350-01-103-5641 improved tow vehicle  Material: Aluminum alloy 2024  Shelf Life:
Distance From First Hole Centerline To End Along Length:  0.266 inches  Distance From First Hole Centerline To End Along Width:  0.955 inches  Body Thickness:  0.063 inches  Securing Device Type:  Threaded fastener  End Application:  2350-01-103-5641 improved tow vehicle  Material:  Aluminum alloy 2024  Shelf Life:
0.266 inches  Distance From First Hole Centerline To End Along Width: 0.955 inches  Body Thickness: 0.063 inches  Securing Device Type: Threaded fastener End Application: 2350-01-103-5641 improved tow vehicle  Material: Aluminum alloy 2024  Shelf Life:
Distance From First Hole Centerline To End Along Width:  0.955 inches  Body Thickness:  0.063 inches  Securing Device Type:  Threaded fastener  End Application:  2350-01-103-5641 improved tow vehicle  Material:  Aluminum alloy 2024  Shelf Life:
0.955 inches  Body Thickness: 0.063 inches  Securing Device Type: Threaded fastener  End Application: 2350-01-103-5641 improved tow vehicle  Material: Aluminum alloy 2024  Shelf Life:
Body Thickness:  0.063 inches  Securing Device Type: Threaded fastener  End Application:  2350-01-103-5641 improved tow vehicle  Material: Aluminum alloy 2024  Shelf Life:
0.063 inches  Securing Device Type:  Threaded fastener  End Application: 2350-01-103-5641 improved tow vehicle  Material:  Aluminum alloy 2024  Shelf Life:
Securing Device Type: Threaded fastener End Application: 2350-01-103-5641 improved tow vehicle Material: Aluminum alloy 2024 Shelf Life:
Threaded fastener  End Application: 2350-01-103-5641 improved tow vehicle  Material: Aluminum alloy 2024  Shelf Life:
End Application: 2350-01-103-5641 improved tow vehicle  Material: Aluminum alloy 2024  Shelf Life:
2350-01-103-5641 improved tow vehicle  Material:  Aluminum alloy 2024  Shelf Life:
Material: Aluminum alloy 2024 Shelf Life:
Aluminum alloy 2024 Shelf Life:
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A531c0