NSN 5340-01-129-9883

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-129-9883 First Leg Length: 1.000 inches Second Leg Length: 3.938 inches Second Leg Width: 4.250 inches Second Leg End Width: 3.000 inches First Leg Hole Diameter: Between 0.281 inches and 0.296 inches Second Leg Hole Diameter: Between 0.281 inches and 0.296 inches Second Leg Distance Between Hole Centers Along Width: Between 1.234 inches and 1.266 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.500 inches First Leg Thickness: 0.125 inches Second Leg Thickness: 0.125 inches First Leg Width: 4.250 inches First Leg Distance Between Hole Centers Along Width: Between 2.484 inches and 2.516 inches First Leg Distance From Edge To Hole Center Along Width: 1.250 inches First Leg Distance From Edge To Hole Center Along Length: 0.500 inches First Leg Style: Square First Leg Hole Arrangement Style: Two holes Second Leg Style: Angle **Second Leg Hole Arrangement Style:** Two holes Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

NSN 5340-01-129-9883 Angle Bracket - Page 2 of 2



| Special Features: |
|--|
| Color olive drab no. 14087 |
| Material: |
| Steel |
| Material Specification: |
| Astm a109 temper no. 3 1/4 hard assn standard single material response or astm a366 assn standard single material response |
| Surface Treatment: |
| Enamel |
| Surface Treatment Specification: |
| 595 federal standard single treatment response |
| Style Designator: |
| Angle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A042a0 |
| |