NSN 5340-01-133-5307

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-133-5307
First Leg Length:
1.310 inches
Second Leg Length:
4.560 inches
End Application:
23500915405 carrier mlrs
Second Leg Width:
10.130 inches
Second Leg Distance Between Hole Centers Along Width:
8.620 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.750 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.500 inches
Second Leg Slot Length:
Between 0.438 inches and 0.750 inches
Second Leg Slot Width:
0.438 inches
First Leg Thickness:
0.125 inches
Second Leg Thickness:
0.125 inches
Center Section Height:
1.620 inches
Center Section Width:
10.310 inches
Center Section Thickness:
0.125 inches
First Leg Width:
10.130 inches
First Leg Style:
Cut out
First Leg Hole Arrangement Style:
No hole
Second Leg Style:
Chamfered ends
Second Leg Hole Arrangement Style:
2 slots
Second Leg Relationship To First Leg:
Not identical

First Leg Angle:

90.0 degrees

NSN 5340-01-133-5307

Double Angle Bracket - Page 2 of 2



Second Leg Angle:	
90.0 degrees	
First Leg Cutout Length:	
0.750 inches	
First Leg Cutout Width:	
1.380 inches	
Material:	
Aluminum alloy 5086 and aluminum alloy 5083	
Material Specification:	
Qq-a-250/7 military standard 1st material response and qq-a-250/6 military standard 2nd material response	
Style Designator:	
Double angle	
Shelf Life:	
N/a	
Unit Of Measure:	
	
Demilitarization:	
Yes - demil/mli	
Fiig:	
A042a0	