## NSN 5340-01-134-2822

Spacing Threaded Standoff - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-134-2822

Thread Class:
2b left internal (includes through thread)2a right external

**Thread Direction:** 

Right-hand right external

Thread Length:

0.150 inches left internal (includes through thread)0.180 inches right external

Flange Thickness:

0.175 inches

Length:

Between 0.480 inches and 0.500 inches

Flange Width Across Flats:

0.125 inches

Thready Qty Per Inch (tpi):

56 left internal (includes through thread)

**Thread Size:** 

0.086 inches right external

**Special Features:** 

Two diameter on each end of hex 0.120 in. Min to 0.124 in. Maximum dia; outer diameter 0.025 in. Min to 0.040 in. Max; inner diameter 0.087 in. Min to 0.092 in. Max

Material:

Steel comp 303 standoff or steel comp 303se standoff

**Material Specification:** 

Aisi assn standard all material responses standoff

**Surface Treatment:** 

Passivate standoff

**Surface Treatment Specification:** 

Qq-p-35 federal specification single treatment response standoff

**Style Designator:** 

Flanged with left internal thread

**Thread Series Designator:** 

Unc right external

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

Fiig:

A08900