

View Online at <https://aerobasegroup.com/nsn/5340-01-136-4510>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.470 inches

**Second Leg Length:**

1.820 inches

**Second Leg Width:**

0.315 inches

**First Leg Slot Length:**

Between 0.160 inches and 0.170 inches

**First Leg Slot Width:**

Between 0.137 inches and 0.143 inches

**Second Leg Hole Diameter:**

Between 0.155 inches and 0.160 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.100 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.157 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.280 inches

**First Leg Thickness:**

0.050 inches

**Second Leg Thickness:**

0.050 inches

**First Leg Width:**

0.275 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.157 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.150 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Features Provided:**

Nut

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 5052 or aluminum alloy 6061

**Material Specification:**

Qq-a-250/8, temper t4 federal specification 1st material response or qq-a-250/11, temper t4 federal specification 2nd material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, class 1a military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.