NSN 5340-01-139-9924

Synchro Clamp - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-139-9924 **Hole Diameter:** Between 0.256 inches and 0.263 inches Width: Between 1.480 inches and 1.520 inches **Effective Length:** Between 0.130 inches and 0.170 inches Length: Between 22.850 inches and 22.910 inches **Outside Edge To Bolt Hole Center Distance Along Width:** Between 0.740 inches and 0.760 inches **Outside Edge To Bolt Hole Center Distance Along Length:** Between 2.910 inches and 2.970 inches **End Application:** Mhu-196/204/m **Effective Height:** Between 1.109 inches and 1.150 inches **Special Features:** Original drawing name-details, beam slides; mtg hol (4) are csk 82 degrees by 0.594 in. Dia; c to c distance bywn 1st & 2nd hole along Ig 5.666 in. Pom 0.005 in., btwn 1st & 3rd hole along lg 11.333 in. Pom 0.005 in. & 17.000 in. Pom 0.005 in. Btw 1st & 4th hole along lg; material tool steel, aisi-sae 01 precision ground flat, oil hardening; designed for agm-868b Height: Between 0.250 inches and 0.255 inches Material: Steel **Surface Treatment:** Chromate **Style Designator:** Square Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig: A09900