

View Online at <https://aerobasegroup.com/nsn/5340-01-141-3681>

Mounting Hole Type:

Plain

First Leg Length:

0.750 inches

Second Leg Length:

1.406 inches

Second Leg Width:

1.000 inches

First Leg Slot Length:

0.250 inches

First Leg Slot Width:

Between 0.164 inches and 0.172 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.750 inches

Second Leg Slot Length:

0.500 inches

Second Leg Slot Width:

Between 0.248 inches and 0.258 inches

First Leg Thickness:

0.090 inches

Second Leg Thickness:

0.090 inches

First Leg Width:

1.000 inches

First Leg Distance Between Hole Centers Along Width:

0.562 inches

First Leg Distance From Edge To Hole Center Along Width:

0.219 inches

First Leg Distance From Edge To Hole Center Along Length:

0.344 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250\8 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-c-5541, type 2, grade c, clas 3 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.