## NSN 5340-01-142-5354



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-142-5354 First Leg Length: 1.500 inches Second Leg Length: 1.500 inches Second Leg Width: 1.000 inches First Leg Hole Diameter: 0.220 inches Second Leg Hole Diameter: 0.440 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.500 inches First Leg Thickness: 0.120 inches **Second Leg Thickness:** 0.120 inches First Leg Width: 1.000 inches First Leg Distance From Edge To Hole Center Along Width: 0.500 inches First Leg Distance From Edge To Hole Center Along Length: 0.500 inches First Leg Style: Square First Leg Hole Arrangement Style: One hole Second Leg Style: Square **Second Leg Hole Arrangement Style:** Second Leg Relationship To First Leg: Not identical First Leg Angle: 90.0 degrees **Special Features:** Corner radius of 0.190 in.

Material:

Steel

**Material Specification:** 

Qq-s-698, sae 1008-1020 federal specification single material response

## NSN 5340-01-142-5354

Angle Bracket - Page 2 of 2



| _        | •    |        | _   |   |    |    |  |
|----------|------|--------|-----|---|----|----|--|
| <u>ن</u> | urfa | $\sim$ | l r | 2 | ŀm | Δn |  |
|          |      |        |     |   |    |    |  |

A042a0

spec.

Mil-std (military Standard):

Primer and chromate zinc and enamel

## **Surface Treatment Specification:**

D0d-p-15328 military specification 1st treatment response and tt-p-1757 federal specification 2nd treatment response and tt-e-527 federal

| specification 3rd treatment response |
|--------------------------------------|
| Style Designator:                    |
| Angle                                |
| Shelf Life:                          |
| N/a                                  |
| Unit Of Measure:                     |
|                                      |
| Demilitarization:                    |
| No                                   |
| Fiig:                                |
|                                      |