

View Online at <https://aerobasegroup.com/nsn/5340-01-142-7581>

Mounting Hole Type:

Plain

First Leg Length:

1.320 inches

Second Leg Width:

3.000 inches

First Leg Hole Diameter:

Between 0.264 inches and 0.273 inches

Second Leg Hole Diameter:

Between 0.221 inches and 0.234 inches

Second Leg Distance Between Hole Centers Along Width:

2.375 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.314 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.370 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

Center Section Height:

1.000 inches

Center Section Width:

2.000 inches

Center Section Thickness:

0.125 inches

First Leg Width:

2.000 inches

First Leg Corner Radius:

0.500 inches

First Leg Distance Between Hole Centers Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type i, class 1 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.