NSN 5340-01-146-0183

Double Angle Bracket - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5340-01-146-0183 |
|---|
| Mounting Hole Type: |
| Counterbored |
| First Leg Hole Diameter: |
| Between 0.280 inches and 0.285 inches |
| Second Leg Hole Diameter: |
| Between 0.215 inches and 0.225 inches |
| Second Leg Distance From Edge To Hole Center Along Length: |
| Between 0.430 inches and 0.440 inches |
| Center Section Height: |
| Between 0.740 inches and 0.780 inches |
| Center Section Thickness: |
| Between 0.065 inches and 0.077 inches |
| First Leg Distance From Edge To Hole Center Along Length: |
| Between 0.440 inches and 0.480 inches |
| First Leg End Radius: |
| Between 0.240 inches and 0.260 inches |
| Second Leg End Radius: |
| Between 0.240 inches and 0.260 inches |
| First Leg Style: |
| End radius |
| First Leg Hole Arrangement Style: |
| One hole |
| Second Leg Relationship To First Leg: |
| Not identical |
| Second Leg Offset Angle: |
| 7.3 degrees |
| Material: |
| Titanium alloy |
| Material Specification: |
| Ams 4901 assn standard single material response |
| Style Designator: |
| Offset double angle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |

Fiig:

A042a0