

View Online at <https://aerobasegroup.com/nsn/5340-01-147-9822>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.380 inches

**Second Leg Length:**

2.620 inches

**Second Leg Width:**

4.620 inches

**First Leg Hole Diameter:**

0.344 inches

**Second Leg Hole Diameter:**

0.344 inches

**Second Leg Distance Between Lower Hole Centers Along Width:**

3.700 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.437 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

1.653 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.460 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.420 inches

**First Leg Thickness:**

0.250 inches

**Second Leg Thickness:**

0.250 inches

**First Leg Width:**

4.620 inches

**First Leg Distance Between Hole Centers Along Width:**

3.060 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.640 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.690 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Three holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

120.0 degrees

**Special Features:**

Color forest green

**Material:**

Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1012 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020

**Material Specification:**

Astm a576 assn standard all material responses or qq-s-635 federal specification 2nd material response

**Surface Treatment:**

Enamel

**Surface Treatment Specification:**

Mil-e-52798 military specification single treatment response or mil-e-52835 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-e-52798 spec.