

View Online at <https://aerobasegroup.com/nsn/5340-01-147-9822>

Mounting Hole Type:

Plain

First Leg Length:

1.380 inches

Second Leg Length:

2.620 inches

Second Leg Width:

4.620 inches

First Leg Hole Diameter:

0.344 inches

Second Leg Hole Diameter:

0.344 inches

Second Leg Distance Between Lower Hole Centers Along Width:

3.700 inches

Second Leg Distance Between Hole Centers Along Length:

1.437 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.653 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.460 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.420 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

4.620 inches

First Leg Distance Between Hole Centers Along Width:

3.060 inches

First Leg Distance From Edge To Hole Center Along Width:

0.640 inches

First Leg Distance From Edge To Hole Center Along Length:

0.690 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

120.0 degrees

Special Features:

Color forest green

Material:

Steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1012 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020

Material Specification:

Astm a576 assn standard all material responses or qq-s-635 federal specification 2nd material response

Surface Treatment:

Enamel

Surface Treatment Specification:

Mil-e-52798 military specification single treatment response or mil-e-52835 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-e-52798 spec.