

View Online at <https://aerobasegroup.com/nsn/5340-01-148-6824>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.120 inches

**Second Leg Length:**

1.680 inches

**Second Leg Width:**

2.500 inches

**First Leg Hole Diameter:**

Between 0.280 inches and 0.310 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.620 inches

**Second Leg Slot Length:**

0.750 inches

**Second Leg Slot Width:**

Between 0.280 inches and 0.310 inches

**First Leg Thickness:**

0.1196 inches

**Second Leg Thickness:**

0.1196 inches

**First Leg Width:**

2.500 inches

**First Leg Distance Between Hole Centers Along Width:**

1.750 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.380 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.370 inches

**Second Leg End Radius:**

0.620 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius and tapered

**Second Leg Hole Arrangement Style:**

One slot

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel comp 1008 or steel comp 1009 or steel comp 1015 or steel comp 1018 or steel comp 1020

**Surface Treatment:**

Enamel

**Surface Treatment Specification:**

Tt-e-485 federal specification single treatment response and tt-e-529 federal specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0