

View Online at <https://aerobasegroup.com/nsn/5340-01-152-7555>

First Leg Length:

Between 2.740 inches and 2.780 inches

Second Leg Length:

Between 1.979 inches and 2.028 inches

Second Leg Width:

2.390 inches

Second Leg Corner Radius:

Between 0.340 inches and 0.360 inches

First Leg Hole Diameter:

Between 0.210 inches and 0.230 inches

Second Leg Hole Diameter:

Between 0.415 inches and 0.429 inches

Second Leg Distance Between Hole Centers Along Width:

1.723 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.125 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 1.770 inches and 1.810 inches

First Leg Thickness:

Between 0.105 inches and 0.135 inches

Second Leg Thickness:

Between 0.390 inches and 0.400 inches

First Leg Width:

Between 1.140 inches and 1.170 inches

First Leg Corner Radius:

Between 0.230 inches and 0.270 inches

First Leg Distance Between Hole Centers Along Length:

1.346 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.570 inches and 0.585 inches

First Leg Distance From Edge To Hole Center Along Length:

0.504 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 0.230 radians and 0.270 radians

Special Features:

Slot .21-.23 behind hole along length

Material:

Steel

Material Specification:

Ams 5390 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0