

View Online at <https://aerobasegroup.com/nsn/5340-01-154-2621>

**Mounting Hole Type:**

Counterbored

**First Leg Length:**

0.690 inches

**Second Leg Length:**

1.010 inches

**Second Leg Width:**

0.500 inches

**First Leg Hole Diameter:**

Between 0.280 inches and 0.285 inches

**Second Leg Hole Diameter:**

0.205 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.570 inches

**First Leg Thickness:**

0.070 inches

**Second Leg Thickness:**

0.070 inches

**Center Section Height:**

0.565 inches

**Center Section Width:**

0.500 inches

**Center Section Thickness:**

0.070 inches

**First Leg Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg End Radius:**

0.250 inches

**First Leg Style:**

End radius

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One hole

**Features Provided:**

Nut

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Special Features:**

1st leg hole counterbored 0.375 in. Min and 0.395 in. Maximum dia, 0.025 in. Min and 0.030 in. Maximum dp; nut attached to 1st leg hole;

2nd leg end slot, 0.170 in. W, 0.300 in. Lg

**Material:**

Titanium alloy

**Material Specification:**

Ams4901 assn standard single material response

**Style Designator:**

Double angle

**Fsc Application Data:**

Jet engine, aircraft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0