

View Online at <https://aerobasegroup.com/nsn/5340-01-154-2621>

Mounting Hole Type:

Counterbored

First Leg Length:

0.690 inches

Second Leg Length:

1.010 inches

Second Leg Width:

0.500 inches

First Leg Hole Diameter:

Between 0.280 inches and 0.285 inches

Second Leg Hole Diameter:

0.205 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.570 inches

First Leg Thickness:

0.070 inches

Second Leg Thickness:

0.070 inches

Center Section Height:

0.565 inches

Center Section Width:

0.500 inches

Center Section Thickness:

0.070 inches

First Leg Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg End Radius:

0.250 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One hole

Features Provided:

Nut

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Special Features:

1st leg hole counterbored 0.375 in. Min and 0.395 in. Maximum dia, 0.025 in. Min and 0.030 in. Maximum dp; nut attached to 1st leg hole;

2nd leg end slot, 0.170 in. W, 0.300 in. Lg

Material:

Titanium alloy

Material Specification:

Ams4901 assn standard single material response

Style Designator:

Double angle

Fsc Application Data:

Jet engine, aircraft

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0