## NSN 5340-01-154-5270

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-154-5270

| Mounting Hole Type:  |
|--|
| Plain  |
| First Leg Length:  |
| 0.880 inches   |
| Reinforcement Method (non-core):                                     |
| Gusset center section  |
| Second Leg Width:  |
| 2.740 inches   |
| Second Leg Corner Radius:  |
| 0.620 inches   |
| Second Leg Hole Diameter:  |
| Between 0.578 inches and 0.594 inches                                |
| Second Leg Distance From Edge To Hole Center Along Length:           |
| 0.510 inches   |
| First Leg Thickness:   |
| Between 0.081 inches and 0.095 inches                                |
| Second Leg Thickness:  |
| Between 0.081 inches and 0.095 inches                                |
| Center Section Thickness:  |
| Between 0.081 inches and 0.095 inches                                |
| First Leg Width:   |
| 1.340 inches   |
| First Leg Style:   |
| Square   |
| First Leg Hole Arrangement Style:                                    |
| No hole  |
| Second Leg Style:  |
| Corner radius  |
| Second Leg Hole Arrangement Style:                                   |
| One hole   |
| Second Leg Relationship To First Leg:                                |
| Not identical  |
| Second Leg Angle:  |
| 90.0 degrees   |
| Special Features:  |
| Second leg extended 0.600 in. Lg and has hole with o.146 in. Nom dia |
| Material:  |
| Steel comp 1008 or steel comp 1010                                   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |

--

## NSN 5340-01-154-5270

Double Angle Bracket - Page 2 of 2



Demilitarization:

No

Fiig:

A042a0