NSN 5340-01-155-3503

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-155-3503

| Mounting Hole Type: |
|--|
| Plain |
| First Leg Length: |
| 1.968 inches |
| Second Leg Length: |
| 2.000 inches |
| Second Leg Width: |
| 5.000 inches |
| First Leg Hole Diameter: |
| Between 0.437 inches and 0.439 inches |
| Second Leg Hole Diameter: |
| Between 0.204 inches and 0.214 inches |
| Second Leg Distance Between Hole Centers Along Width: |
| 1.125 inches |
| Second Leg Distance Between Hole Centers Along Length: |
| 1.500 inches |
| Second Leg Distance From Edge To Hole Center Along Width: |
| 0.375 inches |
| Second Leg Distance From Edge To Hole Center Along Length: |
| 0.500 inches |
| First Leg Thickness: |
| 0.125 inches |
| Second Leg Thickness: |
| 0.125 inches |
| First Leg Width: |
| 5.000 inches |
| First Leg Distance From Edge To Hole Center Along Width: |
| 2.500 inches |
| First Leg Distance From Edge To Hole Center Along Length: |
| 0.593 inches |
| First Leg End Radius: |
| 1.562 inches |
| First Leg Style: |
| End radius and tapered |
| First Leg Hole Arrangement Style: |
| One hole |
| Second Leg Style: |
| Square |
| Second Leg Relationship To First Leg: |
| Not identical |
| First Leg Angle: |
| 90.0 degrees |

NSN 5340-01-155-3503 Angle Bracket - Page 2 of 2

A042a0



| Special Features: |
|---|
| Second leg has a total of six holes |
| Material: |
| Steel |
| Material Specification: |
| Astm a570 assn standard single material response |
| Surface Treatment: |
| Cadmium and chromate |
| Surface Treatment Specification: |
| Qq-p-416 $$ type 2 cl 1 federal specification single treatment response |
| Style Designator: |
| Angle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |