

View Online at <https://aerobasegroup.com/nsn/5340-01-157-1439>

**First Leg Length:**

Between 0.420 inches and 0.440 inches

**Second Leg Length:**

Between 0.660 inches and 0.680 inches

**Second Leg Width:**

Between 0.420 inches and 0.440 inches

**Second Leg Corner Radius:**

Between 0.100 inches and 0.120 inches

**First Leg Hole Diameter:**

Between 0.128 inches and 0.132 inches

**Second Leg Hole Diameter:**

Between 0.178 inches and 0.182 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.210 inches and 0.220 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.200 inches

**First Leg Thickness:**

Between 0.028 inches and 0.036 inches

**Second Leg Thickness:**

Between 0.028 inches and 0.036 inches

**First Leg Width:**

Between 0.420 inches and 0.440 inches

**First Leg Corner Radius:**

Between 0.100 inches and 0.120 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.210 inches and 0.220 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.180 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Offset Angle:**

Between 1.0 degrees and 2.0 degrees

**Material:**

Steel

**Material Specification:**

Ams 5510 assn standard single material response

**Style Designator:**

Offset angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A042a0