

View Online at <https://aerobasegroup.com/nsn/5340-01-157-1439>

First Leg Length:

Between 0.420 inches and 0.440 inches

Second Leg Length:

Between 0.660 inches and 0.680 inches

Second Leg Width:

Between 0.420 inches and 0.440 inches

Second Leg Corner Radius:

Between 0.100 inches and 0.120 inches

First Leg Hole Diameter:

Between 0.128 inches and 0.132 inches

Second Leg Hole Diameter:

Between 0.178 inches and 0.182 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.210 inches and 0.220 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.200 inches

First Leg Thickness:

Between 0.028 inches and 0.036 inches

Second Leg Thickness:

Between 0.028 inches and 0.036 inches

First Leg Width:

Between 0.420 inches and 0.440 inches

First Leg Corner Radius:

Between 0.100 inches and 0.120 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.210 inches and 0.220 inches

First Leg Distance From Edge To Hole Center Along Length:

0.180 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Offset Angle:

Between 1.0 degrees and 2.0 degrees

Material:

Steel

Material Specification:

Ams 5510 assn standard single material response

Style Designator:

Offset angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0