

View Online at <https://aerobasegroup.com/nsn/5340-01-157-5514>

**Mounting Hole Type:**

Plain

**First Leg Length:**

38.10 millimeters

**Second Leg Length:**

38.10 millimeters

**Second Leg Width:**

39.00 millimeters

**First Leg Slot Length:**

12.00 millimeters

**First Leg Slot Width:**

Between 7.175 millimeters and 7.352 millimeters

**Second Leg Distance Between Hole Centers Along Width:**

25.00 millimeters

**Second Leg Distance From Edge To Hole Center Along Width:**

7.00 millimeters

**Second Leg Distance From Edge To Hole Center Along Length:**

18.10 millimeters

**Second Leg Slot Length:**

12.00 millimeters

**Second Leg Slot Width:**

Between 7.175 millimeters and 7.352 millimeters

**First Leg Width:**

39.00 millimeters

**First Leg Distance From Edge To Hole Center Along Width:**

23.00 millimeters

**First Leg Distance From Edge To Hole Center Along Length:**

18.10 millimeters

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

2 slots

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-200/8, t6 federal specification single material response or qq-a-200/8, t6511 federal specification single material response

**Surface Treatment:**

Paint

**Surface Treatment Specification:**

Mil-c-46168 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-46168 spec.