

View Online at <https://aerobasegroup.com/nsn/5340-01-159-6193>

**First Leg Length:**

2.500 inches

**Second Leg Length:**

3.000 inches

**Second Leg Width:**

15.500 inches

**First Leg Hole Diameter:**

Between 0.250 inches and 0.336 inches

**Second Leg Distance Between Hole Centers Along Width:**

11.000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.875 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.000 inches

**Second Leg Slot Length:**

Between 0.570 inches and 0.690 inches

**Second Leg Slot Width:**

Between 0.342 inches and 0.398 inches

**First Leg Thickness:**

0.125 inches

**Second Leg Thickness:**

0.125 inches

**Center Section Height:**

10.500 inches

**Center Section Width:**

15.500 inches

**Center Section Thickness:**

0.125 inches

**First Leg Width:**

15.500 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

7.188 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

7.188 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Cut out

**Second Leg Hole Arrangement Style:**

2 slots

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Second Leg Cutout Length:**

7.750 inches

**Second Leg Cutout Width:**

8.500 inches

**Material:**

Aluminum alloy 5083

**Material Specification:**

Qq-a-250/6 federal specification single material response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0