

View Online at <https://aerobasegroup.com/nsn/5340-01-160-4592>

Mounting Hole Type:

Plain

First Leg Length:

2.460 inches

Second Leg Length:

2.900 inches

Second Leg Width:

7.620 inches

Second Leg Hole Diameter:

Between 0.281 inches and 0.285 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.500 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

4.560 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.780 inches

First Leg Thickness:

Between 0.038 inches and 0.062 inches

Second Leg Thickness:

Between 0.038 inches and 0.062 inches

First Leg Width:

7.620 inches

First Leg Distance Between First And Second Hole Centers Along Width:

1.440 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

1.440 inches

First Leg Distance From Edge To Hole Center Along Width:

0.370 inches

First Leg Distance From Edge To Hole Center Along Length:

1.180 inches

First Leg Style:

Square

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Features Provided:

Nut

Second Leg Relationship To First Leg:

Not identical

Special Features:

First leg has four holes 0.250 in. Min 0.254 in. Maximum also one hole 0.196 in. Min 0.212 in. Max; other hole 0.125 in. Min 0.134 in. Max

Material:

Steel comp 1008 or steel comp 1010

Material Specification:

Sae assn standard single material response

Surface Treatment:

Cadmium and zinc

Surface Treatment Specification:

Gm 4342-m fscm 11862 mfr ref all treatment responses

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0