NSN 5340-01-162-0789



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-162-0789 First Leg Length: 1.012 inches Second Leg Length: 2.506 inches **End Application:** Tf33 pw102 engine, kc-135 Second Leg Width: 0.625 inches First Leg Hole Diameter: Between 0.218 inches and 0.227 inches Second Leg Hole Diameter: Between 0.276 inches and 0.286 inches Second Leg Distance Between Hole Centers Along Length: 1.656 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.330 inches First Leg Thickness: Between 0.056 inches and 0.068 inches Second Leg Thickness: Between 0.056 inches and 0.068 inches First Leg Width: 0.625 inches First Leg Distance From Edge To Hole Center Along Width: 0.312 inches First Leg Distance From Edge To Hole Center Along Length: 0.312 inches First Leg End Radius: 0.500 inches Second Leg End Radius: 0.330 inches First Leg Style: End radius First Leg Hole Arrangement Style: One hole Second Leg Hole Arrangement Style: Two holes Second Leg Relationship To First Leg: Not identical First Leg Angle:

90.0 degrees Material: Steel

NSN 5340-01-162-0789

Angle Bracket - Page 2 of 2



			_			
۱	Λэtο	rial	Spe	ac iti	ハコナ	ınn:
١	пацъ	па	JU	-CIII	val	IVII.

Ams 6350 assn standard 1st material response or ams 6355 assn standard 2nd material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Ams 2400 assn standard single treatment response

Style Designator:

Offset angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0